

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**






Fig. 2 is a perspective view of a multi-layered structure 11. The structure consists of a top layer 12, a middle layer 14, and a bottom layer 13. Dimensions are indicated: D_s for the top layer thickness, L for the total height, a for the middle layer thickness, b for the bottom layer thickness, c for the width of the middle layer, f for the width of the bottom layer, and Sp for the spacing between the layers. Components are labeled: 21, 22, 23, 24, 25, 26, 27, 28, 31, 41, 43, 44, 45, 46, 47, and 48. The structure is shown in a perspective view, with dashed lines indicating hidden internal features.




Fig.4






Fig. 5a





Fig. 5b